



FOCAL LENGTH (EFL):  $27 \pm 0,27$   
 BACK FOCAL LENGTH (BFL):  $24,73$

1 AR COATING: NIR I  
 $R(AVG) \leq 0,5\%$  FROM 600-1050nm @  $0^\circ$  AOI

LEFT SURFACE		MATERIAL	RIGHT SURFACE	
R	$18,16 \pm 0,018$ CX	GLASS N-SF5 673/322	R	$\infty$ PL
$\varnothing e$	17		$\varnothing e$	17
3/	3 (0,5) $\lambda=632,8$ nm		3/	3 (0,5) $\lambda=632,8$ nm
4/	-		4/	1,49'
5/	40 - 20 (MIL-PRF-13830B)		5/	40 - 20 (MIL-PRF-13830B)
6/	-		6/	-

PROTECTIVE CHAMFERS AS NEEDED

ROHS: COMPLIANT    SCALE: NONE     $\lambda = 587,6$ nm

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. DIMENSIONS ARE FOR REFERENCE ONLY

FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

INDICATIONS IN ACCORDANCE WITH ISO 10110

FIRST ANGLE PROJECTION



ALL DIMS IN: mm

**EO**® Edmund Optics®

TITLE 18,0mm Dia, x 27,0mm FL, NIR I Coated, Plano-Convex Lens

DWG NO 48753

SHEET SIZE A4 SHEET 1 OF 1